

# TISSUE-PENETRATING PET RADIOTRACER FOR NON-INVASIVE DETECTION OF ROS AND INFLAMMATION

[Sharma, Vijay](#), [Sivapackiam, Jothilingam](#)


[Gill, John](#)

T-019479

## T-019479 Tissue-penetrating PET radiotracer for non-invasive detection of ROS and inflammation.

### Technology Description

$^{18}\text{F}$ -fluorodeoxyglucose ( $^{18}\text{F}$ -FDG) has long been used for the diagnosis of neoplasms, and recently Alzheimer's disease. However,  $^{18}\text{F}$ -FDG signals are often not correlated with oxidative stress. Moreover, previously developed ROS-specific radiotracers have poor tissue penetration and/or low signal-to-noise ratio. To address these problems, investigators at Washington University have designed a new class of PET radiotracers with high sensitivity for ROS. The lead candidate, called  $^{68}\text{Ga}$ -Galuminox, efficiently accumulates in a variety of tissues, such as lungs and kidneys, that are undergoing high oxidative or inflammatory stress.



**A.** Structure of  $^{68}\text{Ga}$ -Galuminox. **B.** PET signals over time in mice treated with lipopolysaccharide (red) or saline (blue) 24-hr prior to imaging. **C.** Representative PET images of mice injected with  $^{68}\text{Ga}$ -Galuminox, with or without LPS treatment. There's approximately 4-fold higher uptake and retention in the lungs of LPS-treated mice and PET signals strongly correlated with acute lung injury.

### Stage of Research

The PET radiotracer has been tested in several disease models.

### Applications

- Non-invasive imaging of both acute and chronic inflammatory states such as acute

respiratory distress syndrome and nephrotic syndrome.

### **Key Advantages**

- Compared to other non-metal radionuclides, Gallium-68 is affordable to produce on-demand by healthcare facilities as well as by laboratories.
- Synthesis has been optimized with high yield of the final product.

**Patents:** US Non-provisional application

### **Publication:**

*Sivapackiam, Jothilingam, et al. "Galuminox: Preclinical validation of a novel PET tracer for non-invasive imaging of oxidative stress in vivo." Redox Biology 37 (2020): 101690.*